

# RECORD

1967-1968

7530-222-3525  
FEDERAL SUPPLY SERVICE  
(GPO)

DISP.

SKIN

SKIN

SKIN

SKIN

SKIN

SKIN

SKIN

SKIN

SKIN

SKIN

SKIN

SKIN

SKIN

FLAT  
SKIN

FLAT  
SKIN

"

"

"

"

"

"

"

"

"

"

FW DC - FROZEN WHOLE IN DC  
CS DC - COMPLETED SKIN IN DC.  
CFS DC - " <sup>FLAT</sup> " IN MAIL TO DC

28/NOV./67

# STATUS

FIELD #	SPECIES	DATE-1967	POSITION	WT(g)	FAT	SEX	REPRODUCTION	STATUS	CAT NO	DISP.
140001	COLUMBA FASCIATA	27 JULY	31°42' N ; 124°28' W					LANDED ON MAST	FW DC	
002	PTERO DROMA COOKI	28 JULY	30°58' N ; 124°16' W	208	LIGHT	?	GONADS NOT SEEN		CS DC	RDC-(301) SKIN
003	"	"	"	205	"	♀	OVARY 9X5 mm LGST OVUM 1 mm		"	" (302) SKIN
004	"	"	"	218 208	"	♀	OVARY 8X6 LGST OVUM 1 mm		"	" (303) SKIN
005	"	"	"	206	"	?	GONADS NOT SEEN		"	" (304) SKIN
006	"	"	"	239	"	♀	OVARY 8X5 mm LGST OVUM 1 mm		"	" (305) SKIN
007	"	"	"	WET 257	"	♀	OVARY 8X6 mm LGST OVUM 1 mm		"	" (306) SKIN
008	"	"	"	WET 229	"	♀	OVARY 9X7 mm LGST OVUM 2 mm		"	" (307) SKIN
009	"	"	"	202	"	♂	L TESTIS 3X2 mm BLACK		"	" (308) SKIN
010	"	"	"	186	"	♀	OVARY 7X5 mm LGST OVUM 1 mm		"	" (309) SKIN
011	"	"	"	215	"	♀	OVARY 8X6 mm LGST OVUM 1 mm		"	" (310) SKIN
012	"	"	"	217	LIGHT	♂	L TESTIS 3X1 mm DARK		"	" (311) SKIN
013	PHALAROPUS FULICARIUS	"	"	69	Extra	♀	ovary regressing ovary 8x4 mm ova to 1/2 mm	Gravel in stomach, otherwise empty	FW DC	TJL SKIN
014	"	"	"	67	Heavy	♀	ovary regressing ovotolumen ovary 7x3 mm	Moderate general Body Molt Gravel in stomach, otherwise empty Heavy General Body Molt,	"	TJL SKIN
015	PUFFINUS GRISEUS	"	"	701						
016	OCEANODROMA LEUCORHOA	"	"	33	MEDIUM	♂	L. TESTIS 1X1 mm	BROOD PATCH FEATHERED	CF5 S DC	S RDC (312) FLAT SKIN
017	ASIO OTUS	"	30°58' N ; 124°18' W	240					FW DC	
018	OCEANODROMA LEUCORHOA	0838 8 AUG.	34°57' N 121°56' W	WET 389g	HEAVY	♂	OVARY/L. TEST. 1X1	LGST OVUM -	BROOD PATCH PARTIALLY REFEATHERED	B S RDC (313) FLAT SKIN
019	"	0850	34°57' N 121°58' W	298g	MEDIUM	♂	1X1	-	" "	B S " (314) "
020	"	0851	34°57' N 121°58' W	289g	"	♀	3X2	GRAN.	" "	S " (315) "
021	"	0855	34°57' N 121°59' W	319g	"	♀	2X2	"	" "	S " (316) "
022	"	0917	34°57' N 122°03' W	35	"	♀	2X2	"	" "	S " (317) "
023	"	"	34°57' N 122°03' W	40 (wet)	HEAVY	♂	1X3	-	BARE	S " (318) "
024	"	"	34°57' N 122°04' W	37	MED.	♀	3X4	1X1	PARTIALLY REFEATH.	S " (319) "
025	"	"	34°57' N 122°05' W	32	"	♀	2X4	GRAN	" "	S " (320) "
026	"	"	34°57' N 122°04' W	36	"	♀	3X4	"	BARE	S " (321) "
027	"	"	34°57' N 122°04' W	32	LIGHT	♂	1X2	-	"	S " (322) "
028	"	"	34°57' N 122°04' W	35	MED	♂	1X2	-	"	S " (323) "

FIELD #	SPECIES	DATE-1967	POSITION	WT gr.	FAT	SEX	REPROD.	NOTES	CAT #	DISP.
140029	STERCORARIUS	8 AUG	34°57'N 121°59'W	372					B	
30	PHAETHON AETHURUS	"	34°57'N 122°01'W	680	MOD DK YELLOW	♂	TESTES 8x3mm R " 5x2mm Ovary 3x4mm ova 1x1mm		S	TJL(0295) SKIN
31	OCEANODROMA LEUCORHOA	" 2330	34°51'N 124°43'W	29	MOD	♀		BROOD PATCH BARE	B S	RDC(324) FLAT SKIN
32	"	" 2400	34°51'N 124°43'W	36	?	?	?	Very heavy molt - entire body	B	RDC(325) SKIN
33	MOLOTHUS ATER	" 1425	34°13'N 126°19'W	26	-	imm ♂	Testis minute	Moderate molt entire body; white on body (specimen)	RLD	SKIN-DIT
34	ENDOMYCHURA HYPOLEUCA	" 0530	34°14'N 123°23'W	139	Moderate	♂	Testis small	Light body molt	B	RDC(326) SKIN
35	ICTERUS GULCHRI	" 1850	33°35'N 121°23'W	27		imm	"	Moderate molt on body; skull not ossified	RLD	SKIN
36	PHALAROPUS FULICARIUS	" 0045		52	VERY HEAVY	♀	OVARY 7x2 ova 0.5x0.2mm Ovary 4x3mm DALE		B	TJL(301) SKIN
37	OCEANODROMA LEUCORHOA	" 0032		33	MOD.	♀		ova GRAN BROOD PATCH REFEATHERING (R)	B S	RDC(327) FLAT SKIN
38	"	" 0113		28	LI-MOD	♀	OVARY 2x1 ova GRAN.	" " " "	B S	RDC(328) FLAT SKIN
39	Erolia minutilla	16 Aug		15				Landed on board ship - shot		
40	Zenaidura macroura	16 Aug	31°12'N 120°44'W	104						
41	Phalaropus fulicarius	26 Aug - 1540	34°55'N 122°50'W	-	HEAVY	♂	L TESTIS 2.5x2mm		S	TJL(302) SKIN
42	Stercorarius longicauda	26 Aug - 1640	34°54'N 123°03'W	-	HEAVY WHITE Molt to Heavy	♂	L TESTIS 5x2mm R " 4x2mm Testis 3x1mm	Stomach contained numerous small mollusks - saved.	S	TJL(296) SKIN
43	Phalaropus fulicarius	28 Aug - 1800	34°11'N 121°52'W	-		♂		Light Body Molt,	S	TJL SKIN
44	Columba fasciata	1 Sept - 0828	31°55'N 121°00'W	362						
45	Zenaidura macroura	1 Sept - 1915	31°40'N 122°48'W	93.4		imm				
46	Phalaropus fulicarius	2 Sept 1419	31°38'N 125°29'W	45.0	LIGHT DIKEL.	♂	RELTESTES 2x1mm		B S	TJL(303) SKIN
47	Oceanodroma leucorhoa	2 Sept	31°39'N 125°22'W	31.0 wet	LIGHT		OVARY/LT. OVIDUCT	BROOD PATCH	B	RDC(329) FLAT SKIN
48	Oceanodroma leucorhoa	2 Sept	31°39'N 125°22'W	44	"					"
49	"	2 Sept	31°39'N 125°22'W	29	"					"
50	"	2 Sept	31°39'N 125°22'W	35	"					"
51	"	2 Sept	31°39'N 125°22'W	38	MOD	♀	4x2mm SMALL	REFEATHERING	S	" (333) "
52	"	2 Sept	31°39'N 125°22'W	36	LT.	♀	2x4mm 2mm.	BARE	B	" (334) "
53	"	2 Sept	31°39'N 125°22'W	42	MOD	?	NOT SEEN	FEATHERED		" (335) "
54	"	2 Sept	31°39'N 125°22'W	34	LIGHT					" (336) "
55	"	2 Sept	31°39'N 125°22'W	38	"					" (337) "
56	"	2 Sept	31°39'N 125°22'W	33	"					" (338) "

15 DC - INCOMPLETE SKIN  
(UNIDENTIFIED) IN DC

CFSSDC - 32 EXHIBITS FEAT SKIN IN MAIL  
CARCASS SKIN IN DC

De 13<sup>th</sup> June  
Taken to D.C.  
11 Nov 12  
R2Q.

[illegible]

FIELD No	SPECIES	DATE - 1967	POSITION	WT grams	FAT	SEX	REPRODUCTION	NOTES	CAT #	DISP
140085	<i>Sturnella neglecta</i>	16 October	37°16'N 122°39'W					shot	B	
86	<i>Zenaidura macroura</i>	20 October	33°19'N 125°54'W							
87	<i>Sturnella neglecta</i>	25 October				♀	ovary granular	shot	RLD	SKIN
88	<i>Turdus oregonus</i>	31 October	35°35'N; 122°10'W					shot	RDC (345)	SKIN
89	<i>Fulca sparverius</i>	1 November	34°10'N; 126°23'W							
90	<i>Sturnus vulgaris</i>	3 November	33°20'N; 122°40'W	65						
91	<i>OCEANODROMA LEUCORHODA</i>	3 NOV.	33°17'N; 124°10'W	40	Mod-Lt	♂	1X1mm Feathered		B (1)	Flat SKIN
92	"	"	"	37	Mod	♂	1X1mm Feathered?		B (3)	"
93	"	"	"	44	Mod	♀	3X2mm Feathered		B (5)	"
94	"	"	"	42	Mod-Lt	♀	3X3mm Feathered		S RDC (349)	"
95	"	"	"	43	Mod	♂?	Minute Feathered		S RDC (350)	"
96	"	"	"	35	Mod	♀	3X2mm B Pr granular refeathering		S RDC (351)	"
97	"	"	"	42	Mod	♂	B PR 1X1mm Refeathering		S RDC (352)	"
98	"	"	"	39	Mod	♀	4X2mm granular Feathered		S RDC (353)	"
99	"	"	"	43	Mod	♂?	Minute Feathered		S RDC (354)	"
140100	"	"	"	39	Mod-Lt.	♂	5X3mm Feathered		S RDC (355)	"
01	"	"	"	40	Mod-Lt.	♀	3X2mm granular Feathered		S RDC (356)	"
02	"	"	"	38	Lt.	♂	1X1mm B PR Refeathering		S RDC (357)	"
03	"	"	"	35	Mod	♀	3X2mm B Pr granular refeathering		S RDC (358)	"
04	"	"	"	42	Mod	♀	10mm B Pr Egg refeathering		S RDC (359)	"
05	"	"	"	43	Mod	♀	3X3mm Feathered		S RDC (360)	"
06	"	"	"	38	Heavy	♂	1X1mm Feathered		S RDC (361)	"
07	<i>Zenaidura macroura</i>	25 OCT	33°04'N 122°34'W							
08	<i>OCEANODROMA LEUCORHODA</i>	4 NOV.	32°31'N; 123°44'W	NT	Mod	♂	7X5mm U		B S	Flat SKIN
09	<i>Anthus spinoletta</i>	5 NOV.	32°27'N 121°14'W							
10	<i>Larus argentatus</i>	"	31°43'N; 121°05'W	NT	light	♀	ovary 11x7mm Lgt 2ova 3mm	light Body Molt	B S	TJL (0298) SKIN
11	<i>Larus philadelphia</i>	"	"	NT	light	♀	ovary 8x3mm smooth	color Notes taken No Body Molt	B, E.S	TJL (0299) SKIN
12	"	"	"	NT	Mod	♀	ovary 11x3mm smooth	color Notes taken	S	TJL (0300) SKIN

FIELD #	SPECIES	DATE	COORDINATES	WT. (GRAMS)	FAT	SEX	REPRODUCTION	REMARKS	CAT. #	DISP.
140113	<i>Oceanodroma leucorhoa</i>	5 Nov. 1967	31°43'N; 121°05'W					B.		
14	"	"	"							
15	"	"	"							
16	"	"	"							
17	"	"	"							
18	"	"	"							
19	"	"	"							
20	"	"	"							
21	"	"	"							
22	"	"	"							
23	"	"	"							
24	<i>Sturnus vulgaris</i>	"	"							
25	"	7 Nov 1967	30°51'N; 123°27'W	62 gms				B		
26	<i>Pluvialis dominica</i>	"	30°51'N; 122°26'W	98.5 gms	mod fat	♀	ova 11x4 granular		RLD	SKIN
27	<i>Oceanodroma leucorhoa</i>	"	30°51'N; 122°05'W	46.0 gms						
28	"	"	"	42.5 gms						
29	"	"	"	42 gms						
30	"	"	"	57.5 gms						
31	"	"	"	38 gms						
32	"	"	"	38.5 gms						
33	"	"	"	39 gms						
34	"	"	"	48.0 gms						
35	"	"	"	48.0 gms						
36	"	"	"	43.5 gms						
37	<i>Phalaropus fulicarius</i>	"	"	53 gms	Heavy	♀	ovary 4x3 mm ova small	Stomach Half Full of Indeterminate Black Mass	TJL	SKIN
38	<i>Puffinus griseus</i>	18 Nov 67	33°20'N ~ 122°10'W	607 gms	Moderate	♂	L Testis 3x2 mm } Black R Testis 2.5x1 mm }	Light Body Molt	TJL (0306)	SKIN
39	<i>Stercorarius pomarinus</i>	"	"	470 gms	Moderate	♂	L Testis 6x2.5 mm R Testis 4x1.5 mm	Stomach Sowed, Color Notes taken Moderate General Molt	TJL (0307)	SKIN
40	<i>Oceanodroma leucorhoa</i>	"	"	40.5 gms	Moderate	♂	Testes minute	5 color Notes taken No Molt	TJL (0308)	SKIN

[illegible]

Field #	Species	Date	Coordinates	Wt. Grams	Fat	Sex	Reproduction	Remarks	Cat. #	Disp.
50105	<i>Larus argentatus</i>	5 Jan 68	P.O. 34°10'N ~ 126°48'W			♀	ovary 15x8mm largest ovum 1mm.	plumage new, a few old feathers on neck Color notes taken	JPT	skin
50106	<i>Pissa tridactyla</i>	8 Jan 68	P.O. 32°32'N ~ 125°16'W		light	♀	ovary 13x5mm, granular oviduct convoluted	Light body molt Color notes taken	BAH (0484)	skin
50107	<i>Phalaropus Fulicarius</i>	"	P.O. 32°33'N ~ 124°56'W		heavy	♀	ovary 9x4mm, granular oviduct convoluted	Color notes taken	BAH (0483)	skin
50108	"	"	P.O. 32°33'N ~ 124°56'W		moderate	♀	ovary 10x4mm oviduct distended	Color notes taken	JPT	skin
50109	<i>Zealandia leucorhoa</i>	10 Jan 68	P.O. 30°52'N ~ 125°30'W		light	♂	testis 1x1.5mm.	Color notes taken Stomach		
50110	<i>Phalaropus Fulicarius</i>	10 Jan 68	P.O. 30°53'N ~ 124°38'W		heavy	♀	ovary 1x3mm, granular oviduct convoluted	slight molt on neck, no other body molt Color notes taken	BAH (0485)	skin

# EASTROPAC

Field #	Species	Date	Coordinates	wt. Grams	Fat	Sex	Reproduction	Remarks	Cat. #	Disp.
52031	<i>Phaethon c. externa</i>	23 Oct. 67	13°04'N; 119°07'W.		None	♂	L. testis: 6x3mm. Black	Heavy Body Molt Color notes taken	BAH (0468)	skin
52032	<i>Phaethon externa</i>	24 Oct 67	09°37'N; 119°03'W.		v. light	♀	ovary 10x5mm smooth oviduct small, straight	Heavy Body Molt	BAH (0470)	skin
52033	"	"	"		None	♂	L. testis 13x7, white	Moderate to heavy body molt.	BAH (0473)	skin
52034	"	"	"		none	♀	ovary: 12x5mm largest ovum: 1.5mm	Heavy body molt	BAH (0474)	skin
52035	"	"	"		none	♀	oviduct smooth & straight	Heavy body molt	BAH (0469)	skin
<del>52036</del>	<del>"</del>	<del>"</del>	<del>"</del>		<del>none</del>	<del>♂</del>	<del>L. Testis: 9x5mm Black</del>	<del>Color notes taken</del>		
<del>52037</del>	<del>"</del>	<del>"</del>	<del>"</del>		<del>none</del>	<del>♂</del>	<del>L. Testis: 8x4</del>			
52036	<i>Phaethon externa</i>	24 Oct 67	09°37'N; 119°03'W.		none	♀	ovary 10x4mm; smooth	Heavy body molt	BAH (0475)	skin
52037	<i>Phaethon externa</i>	"	"		none	♀	ovary; 22x8mm. ova minute ovary convoluted but not enlarged.		BAH (0477)	skin
52038	<i>Phaethon externa</i>	"	"		moderate	♀	ova 1mm. Ovary 10x5mm oviduct smooth & straight	Moderate body molt.	BAH (0480)	skin
52039	"	"	"		light	♀	ovary 5x10mm granular oviduct smooth & straight, not enlarged	Heavy body molt.	BAH (0472)	skin
110076	"	"	"		light	♀	ovary 12x5mm granular w/ 4 mm 1mm. oviduct convoluted but not enlarged	Heavy body molt.	BAH (0476)	skin
110077	"	"	"		light.	♂	L. Testis: 6x2mm Black	Moderate to Heavy body molt	BAH (0471)	skin
110078	<i>Phaethon externa</i>	3 Nov 67	08°08'N; 112°11'W	735	moderate	♀	ovary 15x4mm granular oviduct smooth & straight	Light body molt, Flight Feather molt taken Color notes taken	BAH (0478)	skin
110079	"	"	"	665	light	♀	ovary 10x4mm granular oviduct smooth & straight	Light body molt, Flight feather molt taken Color notes taken	BAH (0479)	skin
110080	<i>Phaethon externa</i>	4 Nov 67	09°55'N; 112°10'W		moderate	♀	ovary 5x4mm ova minute	Moderate body molt, heavy on nape Color notes taken	BAH (0481)	skin
110081	<i>Phaethon externa</i>	12 Nov 67	14°07'N; 102°45'W.		-	♂	Testes minute	Color notes taken	BAH (0482)	skin

Field #	Species	Date	Location / Coordinates	Weight (Grams)	Fat	Sex	Reproduction	Remarks	Cat. #	Disp.
140167	<i>Coccyzus monocerata</i>	07 Apr 68	N. of San Nicolas Is., Calif.	—		♀	Ovaries: 12x8mm. largest ovum: 4x4mm.	Old plumage Color Notes Taken	SHOT	VMK (1) SKIN <sup>MA</sup>
140168	<i>Melospiza lincolni</i>	09 Apr. 68	32°25'N 119°02'W 30°05'N 118°10'W	—		♀	Ovary: 3x5mm. granular	Flew on board	SHOT	RL DeLong SKIN <sup>RLD</sup>
140169	<i>Platanopus fulicarius</i>	18 Apr. 68	N. of Guadalupe Is., Mexico	—		♂	Testes: 3x1mm. & 1 1/2 x 1 1/2mm.		SHOT	AZANKICH " TSL
140170	<i>Endomychura hypoleuca</i>	"	Guadalupe Is., Mexico	138.5g.	Mod	♂	Testes 7x3mm	light Body Molt		R&D SKIN
140171	<i>Salpinctes obsoletus</i>	"	"							
140172	<i>Carpodacus mexicanus</i>	"	"							
140173	<i>Endomychura hypoleuca</i>	19 Apr. 68	Negro Isleta, Guad. Is., Mex	179g.	Mod	♀	Ovary 14x10mm, 1 ova 5mm, 8 ova 4mm Oviduct enlarged	light Body Molt Blood Sample Taken = (BST) STOMACH empty		POBSP TSL SKIN
140174	"	"	"	151g.	Mod	♂	Testes 14x4mm	BST No Body Molt, STOMACH empty		POBSP TSL SKIN
140175	"	"	"	177g.	Heavy	♂	Testes 9x6mm Ovary 14x12mm, one egg laid	Ticks present BST, No Molt, STOMACH empty		TJL SKIN
140176	"	"	"	175g.	Med	♀	Ovary 12mm dia. oviduct greatly enlarged & convoluted Testes 9x5mm & 7x4mm.	BST No Body Molt, STOMACH empty - NO ENDOPARASITES		TJL SKIN
140177	<i>Endomychura hypoleuca</i>	"	"	160g.	Mod.	♂	enlarged	BST		TJL SKIN
140178	"	"	"	166g.	Mod	♀	Ovaries: 16x13mm Large follicles: 2 1/2 x 2 1/2	BST ON GROUND WITH # 140184		TJL SKIN
140179	"	"	"		Heavy	♂	Testis 8x5mm	BST (No Body Molt)		TJL SKIN
140180	"	20 April 68	"	150g.	Mod	♀	Ovary 14x5mm, ova 7-4mm Oviduct slightly enlarged	Ticks present BST No Body Molt STOMACH empty - NO ENDOPARASITES		TJL SKIN
140181	"	19 Apr. 68	"	185g.	Mod	♀	Ovary 10x7mm, oviduct enlarged ova 21mm dia. and convoluted one follicle present One egg laid	Ticks present BST No Molt, STOMACH empty - NO ENDOPARASITES		TJL SKIN
140182	"	"	"	172g.	Mod	♂	Testes: 15x5mm TESTES: 8x6mm & 2 1/2 x 2mm	BST light Molt on Head + Neck STOMACH empty - NO ENDOPARASITES		TJL SKIN
140183	<i>Endomychura hypoleuca</i>	"	"	160g.	Mod.	♂		BST - NO ENDOPARASITES FOUND		RSC SKIN
140184	"	"	"	155g.	Heavy	♂	Testes 8x5mm Ovaries: 12x7mm.	BST ON GROUND WITH # 140178 Parasites Present - ticks + mallophaga		TJL SKIN
140185	<i>Endomychura hypoleuca</i>	"	"	176g.	Mod	♀	Largest ovum: 22x14mm.	BST Lt. Molt on Head - NO STOMACH CONTENTS		RSC SKIN
140186	"	"	"	156g.	Mod	♂	Testes 9x4mm Ovary 15x8mm, ova 7-4mm	Ticks Present No Body Molt, STOMACH empty - NO ENDOPARASITES		TJL SKIN
140187	"	"	"	162g.	Mod	♀	Oviduct slightly enlarged	BST No Body Molt, STOMACH empty - NO ENDOPARASITES		TJL SKIN
140188	"	"	"	153g.	Mod	♂	Testes: 10x4mm Testes: 10x14mm & 8x6mm.	Ticks present BST light Body Molt, STOMACH empty		TJL SKIN
140189	<i>Phytolophus alaudinus</i>	"	"	144g		♂		Ectoparasites present		SKIN
140190	"	"	"	139g.		♀	Ovary: 13x3mm Largest ova 4x4mm	BST - NO ENDOPARASITES FOUND		SKIN
140191	"	"	"	128g.		♂	TESTES: 12x8mm & 11x4mm	Ectoparasites present		SKIN
140192	"	"	"	137g.		♂	TESTES: 13x7mm & 10x6mm	BST - NO ENDOPARASITES FOUND		SKIN
140193	<i>Phytolophus alaudinus</i>	"	"	150g.		♀	Ovary 13x3mm Largest ova 4x4mm DISTURBED 41 3-2	Ectoparasites present		SKIN
140194	"	"	"	148g.		♂	TESTES: 12x8mm & 12x8mm	BST - NO ENDOPARASITES FOUND		SKIN


Field #	Species	Date	Location/Coordinates	Weight (grams)	Fat	Sex	Reproduction	Remarks	Cat. No.	Disp.
140195	<i>Ptychoramphus aleuticus</i>	19 April 1968	Negro Islets, Guadalupe Is., Mexico	143g.		♀	OVARY: SLARGEST OVA 2-3mm EGG JUST LAID OVADUCT ENLARGED	BST: (Blood Sample Taken) - NO ENDOPARASITES FOUND EP: (Ectoparasites present)	-	SKIN
140196	"	"	"	139g.		♀	OVARY: EGG JUST LAID OVADUCT ENLARGED	BST Lt. Body Molt - NO ENDOPARASITES FOUND EP	-	SKIN
140197	"	"	"	139g.		♂	TESTES: 7x4 & 6x3 mm	BST - NO ENDOPARASITES FOUND - STOMACH - FISH URT.	-	SKIN
140198	"	"	"	152g.		♀	ovaries: 13x9 mm. largest ovum: 4x4 mm.	BST - NO ENDOPARASITES FOUND EP	-	SKIN
140199	"	"	"	155g.		♂	TESTES: 12x5 & 12x4 mm.	BST - NO ENDOPARASITES FOUND EP	-	SKIN
140200	"	"	"	135g.		♂	TESTES: 13x4 & 11x5 mm.	BST - NO ENDOPARASITES FOUND EP	-	SKIN
140201	"	"	"	142g.		♀	OVARY: 11x3 mm. largest ova 11x10 mm.	BST - NO ENDOPARASITES FOUND EP	-	SKIN
140202	"	"	"	143g.		♂	Testes: 9x6 mm & 7x5 mm	BST - NO ENDOPARASITES FOUND EP	-	SKIN
140203	"	"	"	140g.		♀	OVARY: small granular 12x3 mm. largest ova 2 mm.	BST - NO ENDOPARASITES FOUND EP	-	SKIN
140204	<i>Ptychoramphus aleuticus</i>	"	"	146g.		♀	OVARY: SLARGEST OVA 3-2 mm. OVIDUCT DISTENDED	BST - NO ENDOPARASITES FOUND EP	-	SKIN
140205	"	"	"	139g.		♀	ovaries: 12x7 mm largest ovum: 4 mm	BST - NO ENDOPARASITES FOUND EP	-	SKIN
140206	"	"	"	143g.		♀	OVARY: OVIDUCT DISTENDED OVR largest 5, 3, & 2 mm.	BST - NO ENDOPARASITES FOUND EP - NO ENDOPARASITES FOUND	-	SKIN
140207	"	"	"	155g.		♂	TESTES: 17x12 & 12x10 mm.	BST Lt. Body Molt STOMACH EMPTY	-	SKIN
140208	<i>Ptychoramphus aleuticus</i>	"	"	146g.				BST - NO ENDOPARASITES FOUND EP	-	SKIN
140209	"	"	"	137g.		♂	Testes: 10x5 mm & 9x5 mm.	BST - NO ENDOPARASITES FOUND EP	-	SKIN
140210	"	"	"	144g.	Mod	♂	Testes 11x5 mm	BST - Brood Patch Bare NO ENDOPARASITES FOUND EP	TTL	SKIN
140211	<i>Ptychoramphus aleuticus</i>	"	"	146g.		♂	TESTES: 11x5 & 10x5 mm.	BST - NO ENDOPARASITES FOUND EP	-	SKIN
140212	<i>Ptychoramphus aleuticus</i>	"	"	134g.		♂	Testes: 8x6 mm & 8x6 mm.	BST - NO ENDOPARASITES FOUND EP	-	SKIN
140213	"	"	"	158g.		♂	TESTES: 13x7 & 12x7 mm.	BST - NO ENDOPARASITES FOUND No Body Molt. STOMACH EMPTY	-	SKIN
140214	<i>Enchophanes hypoleucos</i>	"	"	166g.	Mod	♀	OVARY 18x10 mm, one ova 10 mm dia one enlarged, oviduct greatly enlarged and convoluted.	BST - <del>NO ENDOPARASITES FOUND</del> NO ENDOPARASITES FOUND STOMACH EMPTY	TTL	SKIN
140215	"	"	"	144g.	Mod	♂	Testes 8x4 mm	BST No Body Molt. NO ENDOPARASITES FOUND STOMACH EMPTY	TTL	SKIN
140216	<i>Enchophanes hypoleucos</i>	"	"	148g.	Mod	♀	1 egg laid ovum to 23 mm.	BST No Molt No Body Molt	-	SKIN
140217	"	"	"	140g.	Mod	♂	Testes: 9x5 mm & 5x2 1/2 mm	BST - NO STOMACH CONTENTS B. Patch Feathered	TTL	SKIN
140218	<i>Oreoscoptes leucurus</i>	"	Guadalupe Island, Mexico	30g.	Fat	♂	Testes 2x1 mm	light Body Molt, stomach empty COLOR NOTES TAKEN IRIS YELLOWISH BROWN, ORBITAL SKIN ORANGE, BILL YELLOW, RED SPOT ON TIP OF MANDIBLE	RSC	SKIN
140219	<i>Larus occidentalis</i>	24 April 1968	Natividad Island, Mexico	-	MED	♀ Ad	OVARY 13x8 mm OVIDUCT OVA TO 3 mm	BST - Light general body molt - HAND CAUGHT COLOR NOTES TAKEN IRIS YELLOWISH-BROWN ORBITAL SKIN ORANGE, BILL YELLOW, RED SPOT ON MANDIBLE TIP, FEET & LEGS PINK - Light body molt - HAND	RSC	SKIN
140220	"	"	"	-	VERY LIGHT	♀ Ad	OVARY 18x12 mm OVIDUCT OVA TO 2 mm	BST - OVARY 18x12, OVA TO 2 mm - OVIDUCT SOMEWHAT ENLARGED LAID PREVIOUSLY COLOR NOTES TAKEN IRIS YELLOWISH BROWN - ORBITAL SKIN ORANGE, BILL YELLOW, RED SPOT ON TIP OF MANDIBLE - FEET & LEGS PINK - HAND CAUGHT	RSC	SKIN
140221	"	"	"	-	LIGHT	♀ Ad	OVARY 17x12 mm OVIDUCT OVA TO 5 mm	BST - VERY SLIGHT BODY MOLT	-	SKIN
140222	"	"	"	-					-	SKIN

Field #	Species	Date	Location / Coordinates	Weight (Grams)	Fat	Sex	Reproduction	Remarks	Cat No	Disp
140223		24 April 1968	Natividad Island, Mexico							
140224		25 April 1968	W. side of Cedros Island, Mexico	480	mod	♀ Ad	L. ovum 7mm. oviduct used <del>not</del> a short while ago (not very recently)	No body molt.	LNH	SKIN
140225		"	"	509	mod	♀	ovary 10x5mm. oviduct never used ova small	Very light body molt	LNH	SKIN
140226		"	"	540	mod	♂ Ad	L. ovum 11x11mm oviduct recently used	no body molt	LNH	SKIN
140227		"	"	—	mod	♀ Ad	ovary 20x14mm oviduct used in past L. ovum 6mm TESTES 15x9mm	No body molt. NO BODY MOLT	LNH	SKIN
140228		"	"	541	Light	♂ Ad	Testes: 10x5mm	Lt. body Molt. NO BROOD PATCH	LNH	SKIN
140229	<i>Endomychus craverii</i>	"	San Benitos Islands, Mexico	149.0g.	Mod	♂	Testes: 9x4mm & 4x2mm	BST = (Blood Sample Taken) TAPEWORM IN INTESTINES	—	SKIN
140230		"	"	145.0g.		♂	Testes: 9x6mm & 5x3mm	BST - NO STOMACH CONTENTS No Molt.	—	SKIN
140231	<i>Endomychus craverii</i>	"	"	128.0g.	Mod.	♂	Testes: 10x6mm	BST Tape worm in intestine	—	SKIN
140232	<i>Phycorhynchus ateleus</i>	"	"	142.5g.	Lt.	♂	Testes: 9x4mm	BST heavy molt on head & neck. No endoparasites	—	SKIN
140233	<i>Phycorhynchus ateleus</i>	"	"	139.0g.	Mod.	♂	ovaries: 9x3mm. oviduct starting to enlarge	BST No Molt No endoparasites.	—	SKIN
140234	"	"	"	128.0g.	Heavy	♀	largest ovum to 1/2mm. enlarge	BST No molt - No endoparasites NO BROOD PATCH	—	SKIN
140235	<i>Phycorhynchus ateleus</i>	"	"	135.0g.	Mod.	♂	Testes: 10x4mm	BST No body molt No endoparasites	—	SKIN
140236		"	"	142.0g.	"	♀	ovaries: 10x3mm largest ovum to 1mm	BST Lt. body Molt No endoparasites No Body Molt. Lt. Molt on Head & Neck.	—	SKIN
140237	<i>Endomychus hypoleuca</i>	"	"	139.5g.	Mod	♂	Testes: 8x3mm & 4x2mm	BST - NO STOMACH CONTENTS No body Molt - NO BROOD PATCH	—	SKIN
140238	<i>Endomychus hypoleuca</i>	"	"	139.0g.	Lt.	♂	Testes: 6x4 9x3 & 6x3mm. RLB OVARIES: 18x7mm	BST No endoparasites - small eggs in stomach	—	SKIN
140239	"	"	"	145.5g.	Lt.	♀	Largest ovum to 4mm Testes: 10x3 1/2mm	BST Lt. body Molt. No endoparasites NO BROOD PATCH	—	SKIN
140240	"	"	"	157.0g.	Mod.	♂	ovary 6x5mm ova to 1.5mm oviduct enlarging	BST Light body Molt. Tape worms in intestine NO BROOD PATCH	—	SKIN
140241		"	"	34.5g.	Mod	♀	Testes 5x4mm 4 ova - largest 1.5mm oviduct not enlarged Has never laid	BST No body Molt. No endoparasites	TJL	SKIN
140242	"	"	"	35.5g.	Heavy	♂	Testes 4x3mm	BST No body molt. NO BROOD PATCH	TJL	SKIN
140243	"	"	"	31.0g.	mod	♂	Testes 4x3mm	BST No body molt. NO BROOD PATCH	TJL	SKIN
140244	"	"	"	34.5g.	Light	♂	oviduct not used ovary 5x4mm granular	BST No body molt, no brood Patch	LNH	SKIN
140245	"	"	"	33.5g.	Light	♂	Testes 5x3mm	BST No body molt, NO BROOD PATCH	LNH	SKIN
140246	"	"	"	31.5g.	Light	♂	Testes 5x4mm	No body Molt No Brood Patch, No body molt.	TJL	SKIN
140247	"	"	"	35.0g.	Mod	♂	Testes 7x4mm	Partial Albino, No body molt, No body molt.	LNH	SKIN
140248	"	"	"	34.0g.	mod	♂	Testes 4x3mm	Color Notes Taken white on - above of wing, back, down of breast & abdomen, + back of head & around eye	LNH	SKIN
140249	"	"	"	33.5g.	mod	♂	oviduct used in past ovary 11mm granular	No body molt, no brood Patch	LNH	SKIN
140250	"	"	"	39.0g.	mod	♀ Ad				

Field #	Species	Date	Location / Coordinates	Weight (Grams)	Fat	Sex	Reproduction	Remarks	Cat. No	Disp
140251	<i>Oceanodroma leucorhoa</i>	25 April 1968	San Benitos Islands, Mexico	40.0 g.	Mod	♀ ad	ovary 7x5mm ova to 1.5mm oviduct enlarging testes 5x4mm	NO BROOD PATCH No Body Molt, No endo parasites No Brood molt, No Brood Patch.	TJL	SKIN
140252	"	"	"	33.0 g.	med	♀	ovary 7x5mm		LNH	SKIN
140253	"	"	"	31.5 g.	Mod	♀ ad	ova to 2mm oviduct enlarging	No Body Molt,	TJL	SKIN
140254	"	"	"	33.0 g.	med	♂	testes 4x3mm.	no body molt, No Brood Patch	LNH	SKIN
140255	<i>O. l.</i>	"	"	53.5 g.	Heavy	♀ ad	oviduct used in part ovary 9x7mm granular	oviduct <del>coming</del> coming up. no body molt, Brood Patch almost <del>unfeathered</del>	LNH	SKIN
140256	"	"	"	62.0 g.	Heavy	♀ ad	oviduct used in part oviduct enlarging ovary 10x7mm granular	no body molt, Brood patch unfeathered	LNH	SKIN
140257	"	"	"	61.0 g.	Med	♂	testes 7x4mm.	NO body molt NO Brood Patch Hand caught on ship	LNH	SKIN
140258	<i>Phylloscopus collybita</i>	"	"	116.0 g.	Mod.	♀	ovaries: 10x3mm largest ovum to 4mm	No body molt. No endoparasites		
140259	<i>Oceanodroma leucorhoa</i> ?	"	"	34.5 g.	Mod	♂	Testes 4x3mm.	No body Molt, No endo parasites	TJL	
140260	<i>Phylloscopus collybita</i>	"	"	134.0 g.	Mod	♂	Testes: 10x4mm & 6x2mm.	Lt. body Molt. No endoparasites		
140261	<i>Endomychura hypoleuca</i>	"	"	135.0 g.	Mod	♂ AD		- NO ENDOPARASITES FOUND No Molt - NO STOMACH CONTENTS		
140262	"	"	"	150.0 g.	Mod.	♀	ovaries: 15x7mm oviduct largest ovum 3mm x 2mm sl. enlarged			
140263	"	"	"	151.0 g.	Heavy	♀	ovaries: 15x7 (oviduct enlarged) 2 Brood patches & convoluted largest ovum to 4mm 2 eggs laid Testes: 10x4mm	No Body Molt No endoparasites		
140264	<i>Endomychura craverii</i>	"	"	129.0 g.	Lt.	♂		No Body Molt Tape worms in intestines.		
140265	<i>Endomychura hypoleuca</i>	"	"	146.0 g.	Mod.	♀	ovaries: 13x6mm. largest ovum to 4mm oviduct enlarged	No body Molt No endoparasites		
140266	<i>Endomychura craverii</i>	"	"	137.0 g.	Mod	♀	ovaries: 15x7mm. largest ovum to 5mm oviduct enlarged	No body Molt No endoparasites		
140267	<i>Endomychura craverii</i>	"	"	137 g	Mod	♀	ovaries: 14x9mm largest ovum to 4mm.	No body Molt No endoparasites		
140268	"	"	"	131.0 g.	"	♀	ovaries: 11x6mm largest ovum to 3 1/2mm oviduct not enlarged	No body molt No endoparasites		
140269	<i>Oceanodroma leucorhoa</i>	26 April 1968	"	32.5 g.	med	♀ ad	ovary 9x7, ova to 2mm. oviduct somewhat enlarged	no body molt	RSC	SKIN
140270	<i>Oceanodroma leucorhoa</i>	"	"	34.0 g.	heavy	♂	Testes 2x1 mm.	no body molt.	RSC	SKIN
140271	"	"	"	33.5 g.	mod	♀ ad	ovary 7x4mm ova to 1.5mm oviduct enlarged	No body Molt	TJL	
140272	"	"	"	30.0 g.	med	♀ ad	oviduct coiled post ovary 5x4mm granular ov. 7x5mm. (ova to 2mm)	No body molt NO brood patch	LNH	SKIN
140273	<i>Oceanodroma leucorhoa</i>	"	"	35.5 g.	med.	♀ ad.	oviduct somewhat enlarged	no body molt	RSC	SKIN
140274	<i>Oceanodroma leucorhoa</i>	"	"	30.0 g.	Med.	♀ ad.	ovary 10x7, ova to 1mm. oviduct not enlarged	no molt, no brood patch	RSC	SKIN
(140275)	(No Bird) (Lost this tag)									
140276	"	"	"	35.5 g.	mod	♂	testes 5x3mm	no body molt, NO Body molt	LNH	SKIN
140277	<i>Passerculus sandwichensis</i>	"	San Benitos (Central Island), Mexico	24.0 g.	light	♀ AD	ovary 9x5mm ova to 1.5mm oviduct well	brood patch in use no molt of contour feathers	LNH	SKIN
140278	"	"	"	27.0 g.						

	Field #	Species	Date	Location / Coordinates	Weight (Grams)	Fat	Sex	Reproduction	Remarks	Cat. No.	Disp.
1	140279	<i>Fregata acaudata</i>	26 April 1968	San Benitos (Central Island), Mexico	25g.						
1	140280	<i>Eremophila alpestris</i>	"	"	32g.						
1	140281	"	"	"	67g.						
1	140282	<i>Ptychoramphus aleuticus</i>	"	San Benitos Islands, Mexico	129g.	Heavy	♂ Ad	TESTES: 9x5 & 7x4 mm. enlarged Testes: 9x2mm & 8x2½ mm.	NO ENDOPARASITES FOUND, Moderate General Body Molt BST = (Blood Sample Taken)	TJL	SKIN
1	140283	"	"	"	142g.	Mod	♂ Ad		BST light General Body Molt + head	TJL	SKIN
1	140284	"	"	"	128g.	Mod	♀ Ad	OVARY 11x3.5 mm ova to 2mm oviduct enlarged & straight - Not convoluted	BST - NO ENDOPARASITES light General Body Molt	TJL	SKIN
14	140285	<i>Ptychoramphus aleuticus</i>	"	"	128g.	Mod	♀ Ad	OVARY 11x5 mm ova to 2mm oviduct enlarged - Not convoluted	Heavy General Body Molt BST - NO ENDOPARASITES	TJL	SKIN
1	140286	<i>Sterna bergii</i>	"	"	63g.	Mod	♀	ova to 2mm oviduct enlarged ova to 2mm ova regresssing 1st follicle Present.	Brood Patch Bare BST No Body Molt	TR	SKIN
1	140287	"	"	"	58g.	Mod	♀	oviduct enlarged ova to 2mm ova to 2mm dia	Brood Patch Feathering BST No Body Molt, No Brood Patch	TJL	SKIN
1	140288	<i>Oceanodroma melanotos</i>	"	"	67g.	light	♀	oviduct enlarging	BST No Body Molt, 1st molt on head	TJL	SKIN
1	140289	<i>Endomychus hippocampus</i>	"	"	154g.	Mod.	♀	ovaries: 12x7mm. largest ovum 3mm x 2½mm oviduct enlarged & straight.	BST No Brood Patch		
1	140290	"	"	"	56g.	light	♂	testis 7x6mm	BST No Body Molt Brood Patch Bare	TJL	SKIN
14	140291	<i>Oceanodroma melanotos</i>	"	"	52g.	Mod	♀	ovary 9x5mm, ova to 2mm oviduct enlarging	BST No Body Molt	TJL	SKIN
1	140292	(Lost Tag)									
1	140293	<i>Phaethon rubricauda</i>	"	"	58g.	light	♂	testis 7x6mm	BST Brood Patch Feathered	TJL	SKIN
1	140294	"	"	"	54g.	Mod	♀	ovary 6x4mm, ova to 1mm dia oviduct enlarged but not convoluted	BST Stomach Empty, No Body Molt Brood Patch Feathered	TJL	SKIN
1	140295	"	"	"	59g.	Mod	♀	ovary 8x4mm, all ova about 1mm dia oviduct enlarged	BST No Body Molt Brood Patch feathered	TJL	SKIN
1	140296	<i>Phaethon rubricauda</i>	"	"	34g.	Mod	♀	ovary 6x4mm, ova to 1mm dia oviduct slightly enlarged	BST No Body Molt, Brood Patch feathered	TJL	SKIN
1	140297	"	"	"	32g.	Mod	♂	Testis 6x3mm	BST No Body Molt Brood Patch Feathered	TJL	SKIN
14	140298	"	"	"	35g.	Mod	♂	Testis 5x4mm	BST No Body Molt.	TJL	SKIN
1	140299	"	"	"	35g.	Mod	♀	ovary 9x5mm, ova to 2mm dia. oviduct enlarged Not convoluted	BST, No Body Molt Brood Patch Feathered	TJL	SKIN
1	140300	"	"	"	31g.	Mod	♂	Testis 4x2mm	BST No Body Molt No Brood Patch	TJL	SKIN
1	140301	"	"	"	32g.	light	♂	Testis 4x2½mm	BST No Body Molt,	TJL	SKIN
1	140302	"	"	"	36g.	Mod	♀	ovary 5x3mm, largest ova 1½mm dia	BST No Body Molt, No Brood Patch	TJL	SKIN
1	140303	"	"	"	36g.	Mod	♀	ovary 6x4mm, ova to 2mm oviduct enlarged	Brood Patch Feathered BST No Body Molt	TJL	SKIN
1	140304	"	"	"	31g.	light	♀	ovary 6x4mm, ova to 1½mm dia. oviduct slightly enlarged	Brood Patch Feathered BST light Molt on Head + Neck	TJL	SKIN
1	140305	"	"	"	38g.	Mod To Heavy	♀	ovary 8x4mm, ova to 2mm oviduct enlarged	No Brood Patch BST No Body Molt,	TJL	SKIN
1	140306	"	"	"	33g.	Mod	♀	ovary 6x4mm, ova to 1mm oviduct slightly enlarged	BST No Body Molt.	TJL	SKIN

Field #	Species	Date	Location / Coordinates	Weight (Grams)	Fat	Sex	Reproduction	Remarks	Cat. No.	Disp
140307	<i>Oceanodroma leucorhoa</i>	26 April 1968	San Benitos Islands, Mexico	36g.	Mod	♀ Ad	ovary 5x3mm, ova to 1mm oviduct not enlarged has laid in previous years	Brood Patch Feathered BST = (Blood Sample Taken) No Body Molt	TJL	SKIN
140308	"	"	"	31g.	Mod	♂	Testis 3x3	Brood Patch Feathered BST No Body Molt	TJL	SKIN
140309	"	"	"	36g.	Mod	♂	Testis 5x3mm	Brood Patch Feathered BST No Body Molt	TJL	SKIN
140310	"	"	"	35g.	Mod	♀	ovary 6x5mm, ova to 2mm oviduct enlarged	Brood Patch Feathered BST No Body Molt	TJL	SKIN
140311	"	"	"	40g.	Mod	♀	ovary 7x3mm, ova to 1mm dia. oviduct enlarged	Brood Patch Feathered BST No Body Molt	TJL	SKIN
140312	"	"	"	35g.	Mod	♀	ovary 8x4mm, ova to 2mm, oviduct enlarged	Brood Patch Feathered BST No Body Molt	TJL	SKIN
140313	"	"	"	37g.	Mod to Heavy	♂	Testis 4x3mm	No Brood Patch BST No Body Molt	TJL	SKIN
140314	"	"	"	60g.	Mod	♂	Testis 2x4mm	Brood Patch Bare BST No Body Molt	TJL	SKIN
140315	<i>Oceanodroma leucorhoa</i>	"	"	30g.	Mod	♂	Testis 6x4mm ovary 7x4mm, ova to 1 1/2 mm oviduct slightly enlarged	Brood Patch Feathered BST No Body Molt	TJL	SKIN
140316	"	"	"	33g.	Mod	♀		BST Light Molt on Head & Neck B.P. Feathered	TJL	SKIN
140317	"	"	"	35g.	Mod	♂	Testis 4x3mm ovary 6x5mm, ova to 2mm, oviduct slightly enlarged	BST No Body Molt Brood Patch Feathered	TJL	SKIN
140318	"	"	"	37g.	Mod	♀	ovary 7x4mm, ova to 2mm dia. oviduct enlarged	BST No Body Molt	TJL	SKIN
140319	"	"	"	38g.	Mod	♀	ovaries: 14x7mm.	BST Brood Patch Feathered, No Body Molt	TJL	SKIN
140320	<i>Endomychus hypoleuca</i>	27 Apr. 1968	"	162.5g.	Heavy	♀	Testes: 12x3mm	2000-12-20-1968 AT 10:00 AM IN ESOPHOGUS BST Moderate body molt; TAPWORMS in intestines		
140321	"	"	"	134.5g.	Lt.	♂		BST no body molt. Tape worms in intestine		
140322	<i>Myiophobus alaudinus</i>	"	"	131.0g.	Mod.	♀	OVARY: 14x6mm, ova to 3mm oviduct enlarged & straight LT 10x8mm	No Body Molt BST - NO ENDOPARASITES	TJL	SKIN
323	<i>OCEANODROMA MEGALIN</i>	28 APRIL		62.5g.	Med	♂	RT 8x6mm	No Brood Patch. No body molt.	LNH	SKIN
29	<i>OCEANODROMA MICRODOMA</i>			19g.	Med.	♂	LT 5x4mm RT 4x3mm.	Brood Patch unfeathering, no body molt	LNH	SKIN
25	<i>OCEANODROMA LEUCORHOA</i>			37g.	med.	♀ ad	ovary 5x4, ova to 1 1/2 mm oviduct enlarging.	No molt	RSC	SKIN
26				37g.	light	♀ ad.	ovary 9x5, ova to 2 1/2 mm, oviduct enlarging. <del>no</del> brood patch defeathering	no molt	RSC	SKIN
27				29g.	light	♂ ad	Testes 4x3	no molt	RSC	SKIN
28				34g.	L-med	♂	testes L - 5x4mm R - 3x3mm ovary 8x6, ova to 3mm. oviduct enlarging.	No Brood Patch no body molt.	LNH	SKIN
29				39g.	med	♀ ad	oviduct used in past	No Brood Patch No Body molt	LNH	SKIN
30				41g.	med	♀ ad	ovary 9x7mm, granular bits enlarging ov. 8x5, ova to 2mm. oviduct somewhat enlarging	no body molt	RSC	SKIN
31				38g.	Med.	♀ ad	testes 3x4mm.	No Brood Patch only body molt is light on the throat.	LNH	SKIN
32				34g.	med	♂	LT 5x3mm RT 3x2mm	No brood Patch, no trunk molt, light head + neck molt.	LNH	SKIN
33				34g.	med	♂		No brood Patch. No body molt.	LNH	SKIN
34				39g.	med	♂	testes 5x4mm.			



				Wgt	Sex	Fat	Reprod.	Remarks.	
140335	Oceanodroma leucorhoa	28 April 68	SAN BENITOS ISLANDS	38	♂ ad.	med.	T. 5x4 oviduct enlarging	no body molt	Prep RSC skin
336				35	♀ ad.	light	ov. 9x6 ova to 1mm no brood patch, oviduct enlarging	no body molt	Prep RSC skin
337				37	♀ ad.	light	ov. 4x3, ova 1 1/2 mm.	no molt	Prep RSC skin
338				35	♂ ad.	light	Testes 3 1/2 x 3 mm	no molt	"
339				35	♂ ad.	light	T. 3 1/2 x 3 mm.	no molt	"
340				29	♂	light	T. 2 x 1 mm.	no molt	"
341				32	♂ ad.	light	T. 3 1/2 x 3	no molt	"
342				33	♂	Med	OVARY 8x7 mm, L. ova 1.8 mm Oviduct enlarged	No Brood Patch No body molt.	Prep LNH, skin
343				36	♀	Med	ovary 5x4 mm granular. oviduct not used	No Brood Patch. No body molt except 4-5 feathers in one spot on abdomen	Prep LNH - skin.
344				35	♀ ad.	Med	ovary 5x4 mm granular. oviduct used in part	Very light head molt, not neck + trunk molt. no brood patch.	Prep LNH, skin
345				35	♂	Med	testes 3x2.5 mm Ovary 8x3 mm (Herm + ova minute)	No body molt except light on head + neck no brood patch.	Prep LNH skin
346	Ptychoramphus aleuticus	28 April	SAN BENITOS ISLANDS BENITO DEL OESTE BC. MEX	63	♀ H	light	TESTES 6x5 mm black	Extrem heavy body molt	Prep LNH skin
47	Puffinus creatopus	29 April	10 miles W. of San Benitos Is.	-	♂	light	TESTES 2x5 mm	light body molt	Prep LNH skin
48	Phalaropus fulicarius	"	"	40.7 gms	♂	light	TESTES 3x1 mm	no molt of contour feathers	TJL - Skin PREP LNH SKIN
49	"	"	"	-	♂	Med - Heavy		HEAVY body molt	PREP LNH SKIN
50	Oceanodroma melanica	1 May 1968	Los Coronados, North Island	65.2			B.P. 7/8 def.	BROOD PATCH Nearly completely defeathered	
51				58.0			B.P. 3/4 defea.	Blood Sample taken	
2				64.9	AD ♂	HEAVY	B.P. 2/3 defeathered	Blood taken - light body molt	PREP RSC - SKIN
3				64.8	♀ ad.	Med	TESTES 8x5 mm Ovary 9x5 mm ova to 2 mm oviduct enlarged	B.P. 1/4 defeathered - no body molt	
4				59.3				B.P. 1/3 defeathered	
5				56.2				B.P. 3/4 defeathered	
6				54.5				B.P. 2/3 defeathered	
7				60.5	♀ ad.	light	ovary 14x8, ova to 2mm oviduct enlarging	Brood patches defeathering. Pinned w/... 57	Prep RSC skin
8				61.5	♂ ad.	Med.	testes 5x4 mm. L. testis 8x6 mm	brood patch 3/3 complete	" RSC "
9				58.6	♂ ad.	Med.	Testes 8x6 mm	B.P. 1/2 defeathered - no body molt	Prep T.J. LEVINS "
60				57.8	♂ ad.	Med		Blood sampled. 3/4 defeathered	Prep RSC skin
1				67.2	♀ ad.	heavy	ovary 11x8, ova to 3mm oviduct enlarging oviduct not enlarged.	brood patch 3/4 defeathered No Body Molt	RSC skin
2				61.4	♀ ad.	heavy	ovary 9x7 mm, ova to 2 mm TESTES 4x6	brood patch bare	RSC skin
3				66.2	♂ ad.			brood patch defeathering. B.P. 2/3 defeathered - Dark gray all over	RSC skin

[illegible]

